PRODUCT DESCRIPTION

The shearing plate is a plate connector for absorbing shearing forces that was specifically developed for modern timber construction. Various holes for anchoring in wood and concrete mean that our shearing plate is used in timber frame and solid timber construction.

ADVANTAGES

- · Many different areas of use
- · For installation in wood and concrete
- Very high shear load-bearing capacity thanks to a innovative fixing concept
- · Fewer connectors required

MATERIAL

· Galvanised S250 construction steel

IMAGES OF APPLICATIONS




SHEARING PLATE



CERTIFICATION





© by E.u.r.o.Tec GmbH \cdot Version 07/2023 \cdot Subject to changes, additions, typesetting and printing errors.

Page 1 of 5

SHEARING PLATE


INSTRUCTIONS FOR USE

6 slanted screw connection holes and 41 holes, which are optionally intended for angle-bracket screws or Anchor nails, are included per side for anchoring in wood. Depending on the application, we have provided two additional partial utilisations of the fixing holes which are also available as static-type calculations. Anchoring in concrete is carried out using the holes (Ø 14 mm) provided for this purpose with our rock concrete screw (Ø 12,5 mm) or bolt anchors (Ø 12 mm).

PRODUCT TABLE

Shearing plate									
Art. no.	Product name	Dimensions [mm]	Material thickness [mm]	Material	PU				
954113	Shearing plate	230 x 240	3	Galvanised S250 construction steel	1				

DRAWING






© by E.u.r.o.Tec GmbH \cdot Version 07/2023 \cdot Subject to changes, additions, typesetting and printing errors.

SHEARING PLATE

STATIC VALUES - FULL UTILISATION



Load direction F2/3									
Timber-Timber	Fixing in the sole plate and solid timber ceiling								
	Joining devices								
	Anchor nails				Angle-bracket screw	Paneltwistec CH			
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	S250	
Quantity (n)	41			41			6		
Char. Shear carrying capacity [kN]	37,3	44,3	47,9	41,9	44,6	47,6	-	156	

Load direction F2/3										
Timber-Concrete	Fixing in the sole plate							Fixing in the co	Steel	
		Joining devices								21661
	Anchor nails		Angle-bracket screw			Paneltwistec CH	Rock concrete screws	Bolt anchor		
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	Ø 12,5	Ø 12	S250
Quantity (n)		41			41		6	2	2	
Char. Shear carrying capacity [kN]	37,3	44,3	47,9	41,9	44,6	47,6	-	21,8	12,2	156

The load-bearing capacities were determined based on ETA-19/0020 Characteristic load-bearing capacity in kN, wood strength class 350 kg/m³ char. Gross density
The minimum distances between the connectors and the edges according to ECS must be complied with. Boundary bearing force according to EC3: Fb,Rk ø14mm = 93,75 kN

Please note: Verify the assumptions made. The stated values, and type and number of joining devices are based on preliminary measurements. Projects are to be dimensioned exclusively by authorised persons in accordance with the State Building Code. As per LBauO, please contact a qualified structural engineer for a paid proof of stability. We will be happy to refer you to someone.

SHEARING PLATE

STATIC VALUES - PARTIAL UTILISATION 1



Load direction F2/3										
Timber-Timber	Fixing in the sole plate and solid timber ceiling									
		Joining devices								
		Anchor nails			Angle-bracket screw	Paneltwistec CH				
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	S250		
Quantity (n)	34			34			6			
Char. Shear carrying capacity [kN]	29,1	34,6	37,4	32,7	34,9	37,2	-	156		

Load direction F2/3										
Timber-Concrete	Fixing in the sole plate							Fixing in the co	Steel	
	Joining devices									31661
	Anchor nails			Angle-bracket screw			Paneltwistec CH	Rock concrete screws	Bolt anchor	
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	Ø 12,5	Ø 12	S250
Quantity (n)		34		34			6	2	2	
Char. Shear carrying capacity [kN]	29,1	34,6	37,4	32,7	34,9	37,2	-	20,5	11,6	156

The load-bearing capacities were determined based on ETA-19/0020 Characteristic load-bearing capacity in kN, wood strength class 350 kg/m 3 char. Gross density The minimum distances between the connectors and the edges according to EC3 must be complied with. Boundary bearing force according to EC3: Fb,Rk 6 14mm = 93,75 kN

Please note: Verify the assumptions made. The stated values, and type and number of joining devices are based on preliminary measurements. Projects are to be dimensioned exclusively by authorised persons in accordance with the State Building Code. As per LBauO, please contact a qualified structural engineer for a paid proof of stability. We will be happy to refer you to someone.

SHEARING PLATE

STATIC VALUES - PARTIAL UTILISATION 2



Load direction F2/3										
Timber-Timber		Fixing in the sole plate and solid timber ceiling								
		Joining devices								
		Anchor nails			Angle-bracket screw	Paneltwistec CH				
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	S250		
Quantity (n)	29				29		4			
Char. Shear carrying capacity [kN]	23,6	28,0	30,4	26,5	28,3	30,1	-	156		

Load direction F2/3										
Timber-Concrete	Fixing in the sole plate								Fixing in the concrete ceiling	
	Joining devices									Steel
	Anchor nails			Angle-bracket screw			Paneltwistec CH	Rock concrete screws	Bolt anchor	
Dimensions [mm]	4 x 40	4 x 50	4 x 60	5 x 40	5 x 50	5 x 60	5 x 120	Ø 12,5	Ø 12	S250
Quantity (n)		29		29			4	2	2	
Char. Shear carrying capacity [kN]	23,6	28,0	30,4	26,5	28,3	30,1	-	14,4	11,2	156

The load-bearing capacities were determined based on ETA-19/0020 Characteristic load-bearing capacity in kN, wood strength class 350 kg/m³ char. Gross density The minimum distances between the connectors and the edges according to EC3 must be complied with. Boundary bearing force according to EC3: Fb,Rk a14mm = 93,75 kN

Please note: Verify the assumptions made. The stated values, and type and number of joining devices are based on preliminary measurements. Projects are to be dimensioned exclusively by authorised persons in accordance with the State Building Code. As per LBauO, please contact a qualified structural engineer for a paid proof of stability. We will be happy to refer you to someone.

If you are not familiar with how this product is used, and particularly with the product's intended use, please contact our Application Technology department (technik@eurotec.team).