


## Product data sheet – Coloured façade screw

### Product description

The coloured façade screw is a fastener developed specifically for façade construction. The head can be left uncoated or coated with a UV-resistant paint finish.

The coloured façade screw is suitable for fastening an extremely wide variety of façade elements on wooden substructures.

The heads can generally be coated in any RAL colour, so their colour can be adapted to the most diverse of façade elements.



### Material

#### A2 stainless steel

- Suitable for salty atmospheres under certain circumstances
- Acid-resistant under certain circumstances
- Not suitable for chlorinated atmospheres
- Can be used in service classes 1, 2 and 3
- Not suitable for woods containing high levels of tannin, such as cumarú, oak, merbau, robinia, etc.

Stainless Steel

#### A4 stainless steel

- Suitable for woods containing high levels of tannin, such as cumarú, oak, merbau, robinia, etc.
- Suitable for salty atmospheres
- Acid-resistant under certain circumstances
- Can be used in service classes 1, 2 and 3
- Not suitable for chlorinated atmospheres

Stainless Steel




### Certification

- European Technical Assessment ETA 11/0024
- Self-drilling screws as wood fasteners



### Drawing



## Product data sheet – Coloured façade screw

## Product table

Coloured façade screw, raised countersunk head						
Art. no.	Dimensions Ød x L [mm]	Thread length lg [mm]	Head diameter Ødh [mm]	Drive	Colour	PU
A2 stainless steel						
904670	4,8 x 25	18	12,0	TX 20 ●	Uncoated	250
904671	4,8 x 32	23	12,0	TX 20 ●	Uncoated	250
904672	4,8 x 38	27	12,0	TX 20 ●	Uncoated	250
904675	4,8 x 60	48	12,0	TX 20 ●	Uncoated	250
W904670	4,8 x 25	18	12,0	TX 20 ●	White/RAL 9010	250
W904671	4,8 x 32	23	12,0	TX 20 ●	White/RAL 9010	250
W904672	4,8 x 38	27	12,0	TX 20 ●	White/RAL 9010	250
W904675	4,8 x 60	48	12,0	TX 20 ●	White/RAL 9010	250
G904670	4,8 x 25	18	12,0	TX 20 ●	Anthracite/RAL 7016	250
G904671	4,8 x 32	23	12,0	TX 20 ●	Anthracite/RAL 7016	250
G904672	4,8 x 38	27	12,0	TX 20 ●	Anthracite/RAL 7016	250
G904675	4,8 x 60	48	12,0	TX 20 ●	Anthracite/RAL 7016	250
A4 stainless steel						
900437*	5,3 x 25	18	12,0	TX 20 ●	Uncoated	100
900429	5,3 x 35	23	12,0	TX 20 ●	Uncoated	100
900442	5,3 x 45	30	12,0	TX 20 ●	Uncoated	100
900447	5,3 x 55	40	12,0	TX 20 ●	Uncoated	100
900452	5,3 x 65	50	12,0	TX 20 ●	Uncoated	100
900439*	5,3 x 25	18	12,0	TX 20 ●	White/RAL 9010	100
900431	5,3 x 35	23	12,0	TX 20 ●	White/RAL 9010	100
900444	5,3 x 45	30	12,0	TX 20 ●	White/RAL 9010	100
900449	5,3 x 55	40	12,0	TX 20 ●	White/RAL 9010	100
900454	5,3 x 65	50	12,0	TX 20 ●	White/RAL 9010	100
900441*	5,3 x 25	18	12,0	TX 20 ●	Anthracite/RAL 7016	100
900432	5,3 x 35	23	12,0	TX 20 ●	Anthracite/RAL 7016	100
900446	5,3 x 45	30	12,0	TX 20 ●	Anthracite/RAL 7016	100
900451	5,3 x 55	40	12,0	TX 20 ●	Anthracite/RAL 7016	100
900456	5,3 x 65	50	12,0	TX 20 ●	Anthracite/RAL 7016	100

\* Screws not regulated by ETA-11/0024.

Other special colours are available on request.

If you are not familiar with how this product is used, and particularly with the product's intended use, please contact our Application Technology department (Technik@eurotec.team).