

PRODUCT DATA SHEET

SAFETY SHOES STYLE OCEAN SBP



PRODUCT DESCRIPTION

The safety shoes STYLE ocean SBP combine a high safety standard, an attractive design and a high level of wearing comfort. The breathable fabrics give the shoes a pleasant wearing feeling - even after several hours of working. The integrated steel cap as well as the pierce-proof, non-slip outer sole offer the shoes wearer safety standards compliant with EN ISO20345/2011 SBP. The STYLE ocean SBP safety shoes are available in the sizes 40 - 47.



MATERIAL

Surface material: breathable mesh fabric
Inner sole: EVA (Ethylene-vinyl acetate copolymer)
Outer sole: rubber

ADVANTAGES

- Safety standard as per EN ISO 20345:2011 SBP
- Steep cap as per EN steel
- Non-slip and pierce-proof outer sole
- Particularly light weight and high level of wearing comfort



PRODUCT DATA SHEET

SAFETY SHOES STYLE OCEAN SBP



IMAGES OF APPLICATIONS



PRODUCT TABLE

SAFETY SHOES STYLE OCEAN SBP		
ART. NO.	PRODUCT DESCRIPTION	PU (PAIR)
319763-GR40	Safety shoes STYLE ocean SBP	1
319763-GR41	Safety shoes STYLE ocean SBP	1
319763-GR42	Safety shoes STYLE ocean SBP	1
319763-GR43	Safety shoes STYLE ocean SBP	1
319763-GR44	Safety shoes STYLE ocean SBP	1
319763-GR45	Safety shoes STYLE ocean SBP	1
319763-GR46	Safety shoes STYLE ocean SBP	1
319763-GR47	Safety shoes STYLE ocean SBP	1

APPLICATION AREAS

- Suitable for working in a dry environment with a risk of injury to the front area of the foot
- Food industry, e.g. cooking
- Pharmaceutical industry, e.g. in laboratories
- Care facilities and medical sectors

SAFETY CLASSES

SAFETY CLASSES	
SAFETY CLASS	REQUIREMENTS
SBP	Toe protection cap, steel cap (200 joules) + Nail protection - made from steel or Kevlar 1100 newtons
SB	Toe protection cap, steel cap (200 joules)
S1 Safety shoes	Toe protection cap, steel cap (200 joules) + Anti-static + Fuel-resistant + Energy absorption in the heel area + Heel area is closed
S1P Safety shoes	Properties S1 + Puncture-resistant sole
S2 Safety shoes	Properties S1 + No water penetration (more than 60 minutes)
S2P Safety shoes	Properties S2 + Puncture-resistant sole
S3 Safety shoes	Properties S2 + Puncture-resistant sole + Profiled outer sole
S4 Safety shoes	Properties S2 + No water penetration (polymer material)
S5 Safety shoes	Properties S2P + Profiled outer sole + No water penetration (polymer material)

If you are not familiar with how this product is used, and particularly with the product's intended use, please contact our Application Technology department (technik@eurotec.team).