PRODUCT DATA SHEETLONG BITS SET



PRODUCT DESCRIPTION


The long bits set consists of 10 x 50 mm long bits as well as a magnetic screw holder in a practical storage box. The long bit in conjunction with the magnetic screw holder enables a strong hold on the screw head and prevents the screw from knocking while it is being screwed in.

Thanks to the practical plastic clip, the storage box can be attached to a piece of clothing, ensuring it does not interfere with the assembly work.

MATERIAL

· Corrosion-resistant S2 steel, galvanised as per DIN 3126

APPLICATION IMAGE



PRODUCT IMAGE



ADVANTAGES

- Enables a strong hold on the screw head
- Reduces the knocking or tearing out of the screw during fitting
- · Practical storage box



© by E.u.r.o.Tec GmbH \cdot Last updated 12/2025 \cdot Subject to changes, additions, typesetting and printing errors.

Page 1 of 2

PRODUCT DATA SHEETLONG BITS SET



PRODUCT TABLE

ArtNo.	Name	Included in delivery	Drive	Material	PU
100325	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PH1	Galvanised steel as per DIN 3126	1
100326	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PH2	Galvanised steel as per DIN 3126	1
100327	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PH3	Galvanised steel as per DIN 3126	1
100328	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PZ1	Galvanised steel as per DIN 3126	1
100329	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PZ2	Galvanised steel as per DIN 3126	1
100330	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	PZ3	Galvanised steel as per DIN 3126	1
101020	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	TX10	Galvanised steel as per DIN 3126	1
101022	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	TX20	Galvanised steel as per DIN 3126	1
101023	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	TX25	Galvanised steel as per DIN 3126	1
101024	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	TX30	Galvanised steel as per DIN 3126	1
101025	Long Bits Set	10 Bits, 1 Magnetic Screw Holder	TX40	Galvanised steel as per DIN 3126	1

If you are not familiar with how this product is used, and particularly with the product's intended use, please contact our Application Technology department (technik@eurotec.team).